Atlas Ready-Mixed Paint-

MANUFACTURED AND GUARANTEED BY

GEO. D. WETHERILL & CO.

MANUFACTURERS OF White Lead, Colors, Putty, Etc.

56 North Front Street, Philadelphia, Pa.

THIS PAINT is made with the utmost care, of the very finest materials, thoroughly combined by the most improved machinery. We guarantee that it will give satisfaction.



GENERAL DIRECTIONS:

One gallon of Atlas Ready Mixed Paint will cover from 200 to 225 square feet—two coats. By adding together the four sides of a building and multiplying the amount by the average height of same, the product thus obtained, divided by 200 will give the number of gallons required for two coats. The

quantity will necessarily vary according to the condition of the surface to be painted.

EXAMPLE:

Say	Front,						20 feet
·	Rear,						20 "
	Side,						40 ''
	Side,						40 '' 40 ''
							120 "
[Mu	ltiply]	heig	ght	,			20 ''
					2	00)	2,400
							11


12 gallons for two coats.


Before painting new work, see that all knots and sappy places are covered with shellac varnish, and that the surface is thoroughly dry and clean. Let each coat of paint have ample time to dry before applying following coat. In case the surface is extremely dry and porous, the paint may be thined by adding a small quantity of boiled linseed oil.

PRICES.

Ordinary Colors,	Black and	Outside '	White,	. 1 gal. cans,	per gal.
"				to 5 lb. cans,	per lb.
Inside White,				. I gal. cans,	per gal.
				1 to 5 lb. cans,	per lb.
				. I gal. cans,	per gal.
**	**			1 to 5 lb. cans,	per lb.

OTHER PACKAGES IN PROPORTION







ASSOCIATION FOR PRESERVATION TECHNOLOGY, INTERNATIONAL www.apti.org

BUILDING TECHNOLOGY HERITAGE LIBRARY

https://archive.org/details/buildingtechnologyheritagelibrary

From the collection of:

Jablonski Building Conservation www.jbconservation.com EXAMPLE

quantity painted.

necessarily

according

condition

surface

20 feet